



## PHP Version 5.3.3

System	Linux web1 2.6.32-358.2.1.el6.x86_64 #1 SMP Wed Mar 13 00:26:49 UTC 2013 x86_64
Build Date	Feb 22 2013 02:48:46
Configure Command	<pre>./configure' '--build=x86_64-redhat-linux-gnu' '--host=x86_64-redhat-linux-gnu' '--target=x86_64-redhat-linux-gnu' '--program-prefix=' '--prefix=/usr' '--exec-prefix=/usr' '--bindir=/usr/bin' '--sbindir=/usr/sbin' '--sysconfdir=/etc' '--datadir=/usr/share' '--includedir=/usr/include' '--libdir=/usr/lib64' '--libexecdir=/usr/libexec' '--localstatedir=/var' '--sharedstatedir=/var/lib' '--mandir=/usr/share/man' '--infodir=/usr/share/info' '--cache-file=../config.cache' '--with-libdir=lib64' '--with-config-file-path=/etc' '--with-config-file-scan-dir=/etc/php.d' '--disable-debug' '--with-pic' '--disable-rpath' '--without-pear' '--with-bz2' '--with-exec-dir=/usr/bin' '--with-freetype-dir=/usr' '--with-png-dir=/usr' '--with-xpm-dir=/usr' '--enable-gd-native-ttf' '--without-gdbm' '--with-gettext' '--with-gmp' '--with-iconv' '--with-jpeg-dir=/usr' '--with-openssl' '--with-pcre-regex=/usr' '--with-zlib' '--with-layout=GNU' '--enable-exif' '--enable-ftp' '--enable-magic-quotes' '--enable-sockets' '--enable-sysvsem' '--enable-sysvshm' '--enable-sysvmsg' '--with-kerberos' '--enable-ucd-snmp-hack' '--enable-shmop' '--enable-calendar' '--without-sqlite' '--with-libxml-dir=/usr' '--enable-xml' '--with-system-tzdata' '--enable-force-cgi-redirect' '--enable-pcntl' '--with-imap=shared' '--with-imap-ssl' '--enable-mbstring=shared' '--enable-mbregex' '--with-gd=shared' '--enable-bcmath=shared' '--enable-dba=shared' '--with-db4=/usr' '--with-xmldrpc=shared' '--with-ldap=shared' '--with-ldap-sasl' '--with-mysql=shared,/usr' '--with-mysqli=shared,/usr/lib64/mysql/mysql_config' '--enable-dom=shared' '--with-pgsql=shared' '--enable-wddx=shared' '--with-snmp=shared,/usr' '--enable-soap=shared' '--with-xsl=shared,/usr' '--enable-xmlreader=shared' '--enable-xmlwriter=shared' '--with-curl=shared,/usr' '--enable-fastcgi' '--enable-pdo=shared' '--with-pdo-odbc=shared,unixODBC,/usr' '--with-pdo-mysql=shared,/usr/lib64/mysql/mysql_config' '--with-pdo-pgsql=shared,/usr' '--with-pdo-sqlite=shared,/usr' '--with-sqlite3=shared,/usr' '--enable-json=shared' '--enable-zip=shared' '--without-readline' '--with-libedit' '--with-openssl=shared' '--enable-phar=shared' '--with-tidy=shared,/usr' '--enable-sysvmsg=shared' '--enable-sysvshm=shared' '--enable-sysvsem=shared' '--enable-posix=shared' '--with-unixODBC=shared,/usr' '--enable-fileinfo=shared' '--enable-intl=shared' '--with-icu-dir=/usr' '--with- enchant=shared,/usr' '--with-recode=shared,/usr'</pre>
Server API	CGI/FastCGI
Virtual Directory Support	disabled

Configuration File (php.ini) Path	/etc
Loaded Configuration File	/var/www/ntb_new/php.ini
Scan this dir for additional .ini files	/etc/php.d
Additional .ini files parsed	/etc/php.d/curl.ini, /etc/php.d/dom.ini, /etc/php.d/fileinfo.ini, /etc/php.d/gd.ini, /etc/php.d/interbase.ini, /etc/php.d/intl.ini, /etc/php.d/json.ini, /etc/php.d/ldap.ini, /etc/php.d/mbstring.ini, /etc/php.d/mcrypt.ini, /etc/php.d/memcache.ini, /etc/php.d/mysql.ini, /etc/php.d/mysqli.ini, /etc/php.d/pdo.ini, /etc/php.d/pdo_firebird.ini, /etc/php.d/pdo_mysql.ini, /etc/php.d/pdo_pgsql.ini, /etc/php.d/pdo_sqlite.ini, /etc/php.d/pgsql.ini, /etc/php.d/phar.ini, /etc/php.d/posix.ini, /etc/php.d/pspell.ini, /etc/php.d/sqlite3.ini, /etc/php.d/sysvmsg.ini, /etc/php.d/sysvsem.ini, /etc/php.d/sysvshm.ini, /etc/php.d/wddx.ini, /etc/php.d/xmlreader.ini, /etc/php.d/xmlwriter.ini, /etc/php.d/xsl.ini, /etc/php.d/zip.ini
PHP API	20090626
PHP Extension	20090626
Zend Extension	220090626
Zend Extension Build	API220090626,NTS
PHP Extension Build	API20090626,NTS
Debug Build	no
Thread Safety	disabled
Zend Memory Manager	enabled
Zend Multibyte Support	disabled
IPv6 Support	enabled
Registered PHP Streams	https, ftps, compress.zlib, compress.bzip2, php, file, glob, data, http, ftp, phar, zip, public, temporary, private
Registered Stream Socket Transports	tcp, udp, unix, udg, ssl, sslv3, sslv2, tls
Registered Stream Filters	zlib.*, bzip2.*, convert.iconv.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed, dechunk, mcrypt.*, mdecrypt.*



This program makes use of the Zend Scripting Language Engine:  
Zend Engine v2.3.0, Copyright (c) 1998-2010 Zend Technologies

---

## PHP Credits

---

# Configuration

## bz2

BZip2 Support	Enabled
Stream Wrapper support	compress.bz2://
Stream Filter support	bzip2.decompress, bzip2.compress
BZip2 Version	1.0.5, 10-Dec-2007

## calendar

Calendar support	enabled
------------------	---------

## cgi-fcgi

Directive	Local Value	Master Value
cgi.check_shebang_line	1	1
cgi.discard_path	0	0
cgi.fix_pathinfo	1	1
cgi.force_redirect	1	1
cgi.nph	0	0
cgi.redirect_status_env	<i>no value</i>	<i>no value</i>
cgi.rfc2616_headers	0	0
fastcgi.logging	1	1

## Core

PHP Version

5.3.3

<b>Directive</b>	<b>Local Value</b>	<b>Master Value</b>
allow_call_time_pass_reference	Off	Off
allow_url_fopen	On	On
allow_url_include	Off	Off
always_populate_raw_post_data	Off	Off
arg_separator.input	&	&
arg_separator.output	&	&
asp_tags	Off	Off
auto_append_file	<i>no value</i>	<i>no value</i>
auto_globals_jit	On	On
auto_prepend_file	<i>no value</i>	<i>no value</i>
browscap	<i>no value</i>	<i>no value</i>
default_charset	<i>no value</i>	<i>no value</i>
default_mimetype	text/html	text/html
define_syslog_variables	Off	Off
disable_classes	<i>no value</i>	<i>no value</i>
disable_functions	<i>no value</i>	<i>no value</i>
display_errors	On	On
display_startup_errors	Off	Off
doc_root	<i>no value</i>	<i>no value</i>
docref_ext	<i>no value</i>	<i>no value</i>
docref_root	<i>no value</i>	<i>no value</i>
enable_dl	Off	Off
error_append_string	<i>no value</i>	<i>no value</i>
error_log	<i>no value</i>	<i>no value</i>
error_prepend_string	<i>no value</i>	<i>no value</i>
error_reporting	30719	22527
exit_on_timeout	Off	Off
expose_php	On	On
extension_dir	/usr/lib64/php/modules	/usr/lib64/php/modules
file_uploads	On	On
highlight.bg		
highlight.comment	<b>#FF8000</b>	<b>#FF8000</b>
highlight.default	<b>#0000BB</b>	<b>#0000BB</b>

highlight.html	#000000	#000000
highlight.keyword	#007700	#007700
highlight.string	#DD0000	#DD0000
html_errors	Off	Off
ignore_repeated_errors	Off	Off
ignore_repeated_source	Off	Off
ignore_user_abort	Off	Off
implicit_flush	Off	Off
include_path	./usr/share/pear:/usr/share/ph p	./usr/share/pear:/usr/share/ph p
log_errors	On	On
log_errors_max_len	1024	1024
magic_quotes_gpc	Off	Off
magic_quotes_runtime	Off	Off
magic_quotes_sybase	Off	Off
mail.add_x_header	On	On
mail.force_extra_parameters	<i>no value</i>	<i>no value</i>
mail.log	<i>no value</i>	<i>no value</i>
max_execution_time	1800	1800
max_file_uploads	20	20
max_input_nesting_level	64	64
max_input_time	1800	1800
max_input_vars	1000	1000
memory_limit	512M	512M
open_basedir	<i>no value</i>	<i>no value</i>
output_buffering	4096	4096
output_handler	<i>no value</i>	<i>no value</i>
post_max_size	1024M	1024M
precision	14	14
realpath_cache_size	4096k	4096k
realpath_cache_ttl	120	120
register_argc_argv	Off	Off
register_globals	Off	Off
register_long_arrays	Off	Off
report_memleaks	On	On
report zend debug	On	On
request_order	GP	GP

safe_mode	Off	Off
safe_mode_exec_dir	<i>no value</i>	<i>no value</i>
safe_mode_gid	Off	Off
safe_mode_include_dir	<i>no value</i>	<i>no value</i>
sendmail_from	<i>no value</i>	<i>no value</i>
sendmail_path	/usr/sbin/sendmail -t -i	/usr/sbin/sendmail -t -i
serialize_precision	100	100
short_open_tag	On	On
SMTP	localhost	localhost
smtp_port	25	25
sql.safe_mode	Off	Off
track_errors	Off	Off
unserialize_callback_func	<i>no value</i>	<i>no value</i>
upload_max_filesize	1024M	1024M
upload_tmp_dir	<i>no value</i>	<i>no value</i>
user_dir	<i>no value</i>	<i>no value</i>
user_ini.cache_ttl	300	300
user_ini.filename	.user.ini	.user.ini
variables_order	GPCS	GPCS
xmlrpc_error_number	0	0
xmlrpc_errors	Off	Off
y2k_compliance	On	On
zend.enable_gc	On	On

## ctype

ctype functions enabled

## curl

cURL support	enabled
cURL Information	7.19.7
Age	3
Features	
AsynchDNS	No
Debug	No

GSS-Negotiate	Yes
IDN	Yes
IPv6	Yes
Largefile	Yes
NTLM	Yes
SPNEGO	No
SSL	Yes
SSPI	No
krb4	No
libz	Yes
CharConv	No
Protocols	tftp, ftp, telnet, dict, ldap, ldaps, http, file, https, ftps, scp, sftp
Host	x86_64-redhat-linux-gnu
SSL Version	NSS/3.14.0.0
ZLib Version	1.2.3
libSSH Version	libssh2/1.4.2

## date

date/time support	enabled
"Olson" Timezone Database Version	0.system
Timezone Database	internal
Default timezone	Europe/Moscow

Directive	Local Value	Master Value
date.default_latitude	31.7667	31.7667
date.default_longitude	35.2333	35.2333
date.sunrise_zenith	90.583333	90.583333
date.sunset_zenith	90.583333	90.583333
date.timezone	Europe/Moscow	Europe/Moscow

## dom

DOM/XML	enabled
DOM/XML API Version	20031129
libxml Version	2.7.6

HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled
Schema Support	enabled
RelaxNG Support	enabled

## ereg

Regex Library	Bundled library enabled
---------------	-------------------------

## exif

EXIF Support	enabled
EXIF Version	1.4 \$Id: exif.c 293036 2010-01-03 09:23:27Z sebastian \$
Supported EXIF Version	0220
Supported filetypes	JPEG,TIFF

	<b>Directive</b>	<b>Local Value</b>	<b>Master Value</b>
	exif.decode_jis_intel	JIS	JIS
	exif.decode_jis_motorola	JIS	JIS
	exif.decode_unicode_intel	UCS-2LE	UCS-2LE
	exif.decode_unicode_motorola	UCS-2BE	UCS-2BE
	exif.encode_jis	<i>no value</i>	<i>no value</i>
	exif.encode_unicode	ISO-8859-15	ISO-8859-15

## fileinfo

	<b>fileinfo support</b>	<b>enabled</b>
version		1.0.5-dev

## filter

Input Validation and Filtering	enabled
Revision	\$Revision: 298196 \$

<b>Directive</b>	<b>Local Value</b>	<b>Master Value</b>
------------------	--------------------	---------------------



filter.default	unsafe_raw	unsafe_raw
filter.default_flags	<i>no value</i>	<i>no value</i>

## ftp

FTP support	enabled
-------------	---------

## gd

GD Support	enabled
GD Version	bundled (2.0.34 compatible)
FreeType Support	enabled
FreeType Linkage	with freetype
FreeType Version	2.3.11
GIF Read Support	enabled
GIF Create Support	enabled
JPEG Support	enabled
libJPEG Version	6b
PNG Support	enabled
libPNG Version	1.2.49
WBMP Support	enabled
XPM Support	enabled
XBM Support	enabled

Directive	Local Value	Master Value
gd.jpeg_ignore_warning	0	0

## gettext

GetText Support	enabled
-----------------	---------

## gmp

gmp support	enabled
GMP version	4.3.1

## hash

hash support enabled

md2 md4 md5 sha1 sha224 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snefru snefru256 gost adler32 crc32 crc32b salsa10 salsa20 haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

Hashing Engines

## iconv

iconv support enabled

iconv implementation glibc

iconv library version 2.12

	<b>Directive</b>	<b>Local Value</b>	<b>Master Value</b>
iconv.input_encoding		ISO-8859-1	ISO-8859-1
iconv.internal_encoding		ISO-8859-1	ISO-8859-1
iconv.output_encoding		ISO-8859-1	ISO-8859-1

## interbase

Firebird/InterBase Support dynamic

Compile-time Client Library Version Firebird API version 25

Run-time Client Library Version LI-V6.3.2.26539 Firebird 2.5

	<b>Directive</b>	<b>Local Value</b>	<b>Master Value</b>
ibase.allow_persistent	On	On	On
ibase.dateformat	%Y-%m-%d	%Y-%m-%d	%Y-%m-%d
ibase.default_charset	<i>no value</i>	<i>no value</i>	<i>no value</i>
ibase.default_db	<i>no value</i>	<i>no value</i>	<i>no value</i>
ibase.default_password	<i>no value</i>	<i>no value</i>	<i>no value</i>
ibase.default_user	<i>no value</i>	<i>no value</i>	<i>no value</i>
ibase.max_links	Unlimited	Unlimited	Unlimited
ibase.max_persistent	Unlimited	Unlimited	Unlimited
ibase.timeformat	%H:%M:%S	%H:%M:%S	%H:%M:%S

ibase.timestampformat      %Y-%m-%d %H:%M:%S      %Y-%m-%d %H:%M:%S

## intl

	<b>Internationalization support</b>	<b>enabled</b>
version		1.1.0
ICU version		4.2.1

<b>Directive</b>	<b>Local Value</b>	<b>Master Value</b>
intl.default_locale	<i>no value</i>	<i>no value</i>
intl.error_level	0	0

## json

json support	enabled
json version	1.2.1

## ldap

LDAP Support	enabled
RCS Version	\$Id: ldap.c 299434 2010-05-17 20:09:42Z pajoye \$
Total Links	0/unlimited
API Version	3001
Vendor Name	OpenLDAP
Vendor Version	20423
SASL Support	Enabled

<b>Directive</b>	<b>Local Value</b>	<b>Master Value</b>
ldap.max_links	Unlimited	Unlimited

## libxml

libXML support	active
libXML Compiled Version	2.7.6
libXML Loaded Version	20706
libXML streams	enabled

## mbstring

Multibyte Support	enabled
Multibyte string engine	libmbfl
HTTP input encoding translation	disabled

**mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.**

Multibyte (japanese) regex support	enabled
Multibyte regex (oniguruma) backtrack check	On
Multibyte regex (oniguruma) version	4.7.1

Directive	Local Value	Master Value
mbstring.detect_order	<i>no value</i>	<i>no value</i>
mbstring.encoding_translation	Off	Off
mbstring.func_overload	2	2
mbstring.http_input	pass	pass
mbstring.http_output	pass	pass
mbstring.http_output_conv_mimetypes	^(text/application/xhtml\+xml)	^(text/application/xhtml\+xml)
mbstring.internal_encoding	UTF-8	UTF-8
mbstring.language	neutral	neutral
mbstring.strict_detection	Off	Off
mbstring.substitute_character	<i>no value</i>	<i>no value</i>

## mcrypt

<b>mcrypt support</b>	<b>enabled</b>
<b>mcrypt_filter support</b>	<b>enabled</b>
Version	2.5.8
Api No	20021217
Supported ciphers	cast-128 gost rijndael-128 twofish arcfour cast-256 loki97 rijndael-192 saferplus wake blowfish-compat des rijndael-256 serpent xtea blowfish enigma rc2 tripledes
Supported modes	cbc cfb ctr ecb ncfb nofb ofb stream

Directive	Local Value	Master Value
mccrypt.algorithms_dir	<i>no value</i>	<i>no value</i>
mccrypt.modes_dir	<i>no value</i>	<i>no value</i>

## memcache

memcache support		enabled	
Version	3.0.5		
Revision	\$Revision: 303968 \$		
Directive	Local Value	Master Value	
memcache.allow_failover	1	1	
memcache.chunk_size	32768	32768	
memcache.compress_threshold	20000	20000	
memcache.default_port	11211	11211	
memcache.hash_function	crc32	crc32	
memcache.hash_strategy	consistent	consistent	
memcache.lock_timeout	15	15	
memcache.max_failover_attempts	20	20	
memcache.protocol	ascii	ascii	
memcache.redundancy	1	1	
memcache.session_redundancy	2	2	

## mysql

MySQL Support		enabled	
Active Persistent Links	0		
Active Links	0		
Client API version	5.1.67		
MYSQL_MODULE_TYPE	external		
MYSQL_SOCKET	/var/lib/mysql/mysql.sock		
MYSQL_INCLUDE	-I/usr/include/mysql		
MYSQL_LIBS	-L/usr/lib64/mysql -lmysqlclient		
Directive	Local Value	Master Value	
mysql.allow_local_infile	On	On	

mysql.allow_persistent	On	On
mysql.connect_timeout	60	60
mysql.default_host	<i>no value</i>	<i>no value</i>
mysql.default_password	<i>no value</i>	<i>no value</i>
mysql.default_port	<i>no value</i>	<i>no value</i>
mysql.default_socket	/var/lib/mysql/mysql.sock	/var/lib/mysql/mysql.sock
mysql.default_user	<i>no value</i>	<i>no value</i>
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.trace_mode	Off	Off

## mysqli

Mysqli Support		enabled
Client API library version	5.1.67	
Active Persistent Links	0	
Inactive Persistent Links	0	
Active Links	0	
Client API header version	5.1.67	
MYSQLI_SOCKET	/var/lib/mysql/mysql.sock	

  

Directive	Local Value	Master Value
mysqli.allow_local_infile	On	On
mysqli.allow_persistent	On	On
mysqli.default_host	<i>no value</i>	<i>no value</i>
mysqli.default_port	3306	3306
mysqli.default_pw	<i>no value</i>	<i>no value</i>
mysqli.default_socket	<i>no value</i>	<i>no value</i>
mysqli.default_user	<i>no value</i>	<i>no value</i>
mysqli.max_links	Unlimited	Unlimited
mysqli.max_persistent	Unlimited	Unlimited
mysqli.reconnect	Off	Off

## openssl

OpenSSL support	enabled
-----------------	---------

OpenSSL Library Version

OpenSSL 1.0.0-fips 29 Mar 2010

OpenSSL Header Version

OpenSSL 1.0.0-fips 29 Mar 2010

## pcntl

**pcntl support**

**enabled**

## pcre

PCRE (Perl Compatible Regular Expressions) Support

enabled

PCRE Library Version

8.12 2011-01-15

Directive	Local Value	Master Value
pcre.backtrack_limit	100000	100000
pcre.recursion_limit	100000	100000

## PDO

**PDO support**

**enabled**

PDO drivers

firebird, mysql, pgsql, sqlite

## PDO\_Firebird

**PDO Driver for Firebird/InterBase**

**enabled**

## pdo\_mysql

**PDO Driver for MySQL**

**enabled**

Client API version

5.1.67

## pdo\_pgsql

**PDO Driver for PostgreSQL**

**enabled**

PostgreSQL(libpq) Version

8.4.13

Module version

1.0.2

## pdo\_sqlite

	<b>PDO Driver for SQLite 3.x</b>	<b>enabled</b>
SQLite Library		3.6.20

## pgsql

	<b>PostgreSQL Support</b>	<b>enabled</b>
PostgreSQL(libpq) Version		8.4.13
Multibyte character support		enabled
SSL support		enabled
Active Persistent Links		0
Active Links		0

Directive	Local Value	Master Value
pgsql.allow_persistent	On	On
pgsql.auto_reset_persistent	Off	Off
pgsql.ignore_notice	Off	Off
pgsql.log_notice	Off	Off
pgsql.max_links	Unlimited	Unlimited
pgsql.max_persistent	Unlimited	Unlimited

## Phar

	<b>Phar: PHP Archive support</b>	<b>enabled</b>
Phar EXT version	2.0.1	
Phar API version	1.1.1	
SVN revision	\$Revision: 298908 \$	
Phar-based phar archives	enabled	
Tar-based phar archives	enabled	
ZIP-based phar archives	enabled	
gzip compression	enabled	
bzip2 compression	enabled	
Native OpenSSL support	enabled	



Phar based on pear/PHP\_Archive, original concept by Davey Shafik.  
 Phar fully realized by Gregory Beaver and Marcus Boerger.  
 Portions of tar implementation Copyright (c) 2003-2009 Tim Kientzle.

<b>Directive</b>	<b>Local Value</b>	<b>Master Value</b>
phar.cache_list	<i>no value</i>	<i>no value</i>
phar.readonly	On	On
phar.require_hash	On	On

## **posix**

Revision \$Revision: 300764 \$

## **pspell**

PSpell Support enabled

## **Reflection**

**Reflection** enabled  
 Version \$Revision: 300393 \$

## **session**

Session Support enabled  
 Registered save handlers files user memcache  
 Registered serializer handlers php php\_binary wddx

<b>Directive</b>	<b>Local Value</b>	<b>Master Value</b>
session.auto_start	Off	Off
session.bug_compat_42	Off	Off
session.bug_compat_warn	Off	Off
session.cache_expire	180	180
session.cache_limiter	<i>no value</i>	nocache
session.cookie_domain	<i>no value</i>	<i>no value</i>
session.cookie_httponly	On	Off

session.cookie_lifetime	2000000	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	<i>no value</i>	<i>no value</i>
session.entropy_length	0	0
session.gc_divisor	100	1000
session.gc_maxlifetime	200000	1440
session.gc_probability	1	1
session.hash_bits_per_character	5	5
session.hash_function	0	0
session.name	SESS8bc7834ebfd796105db14fd173ba85f1	PHPSESSID
session.referer_check	<i>no value</i>	<i>no value</i>
session.save_handler	user	files
session.save_path	/var/lib/php/session	/var/lib/php/session
session.serialize_handler	php	php
session.use_cookies	On	On
session.use_only_cookies	On	On
session.use_trans_sid	0	0

## shmop

shmop support enabled

## SimpleXML

**Simplexml support**

**enabled**

Revision

\$Revision: 299424 \$

Schema support

enabled

## sockets

Sockets Support

enabled

# SPL

<b>SPL support</b>	<b>enabled</b>
Interfaces	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
Classes	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, DirectoryIterator, DomainException, EmptyIterator, FilesystemIterator, FilterIterator, GlobIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, MultipleIterator, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RecursiveTreeIterator, RegexIterator, RuntimeException, SplDoublyLinkedList, SplFileInfo, SplFileObject, SplFixedArray, SplHeap, SplMinHeap, SplMaxHeap, SplObjectStorage, SplPriorityQueue, SplQueue, SplStack, SplTempFileObject, UnderflowException, UnexpectedValueException

## sqlite3

<b>SQLite3 support</b>		<b>enabled</b>
SQLite3 module version		0.7-dev
SQLite Library		3.6.20

  

<b>Directive</b>	<b>Local Value</b>	<b>Master Value</b>
sqlite3.extension_dir	<i>no value</i>	<i>no value</i>

## standard

Dynamic Library Support		enabled
Path to sendmail		/usr/sbin/sendmail -t -i

  

<b>Directive</b>	<b>Local Value</b>	<b>Master Value</b>
assert.active	1	1
assert.bail	0	0
assert.callback	<i>no value</i>	<i>no value</i>
assert.quiet_eval	0	0
assert.warning	1	1

auto_detect_line_endings	0	0
default_socket_timeout	60	60
safe_mode_allowed_env_vars	PHP_	PHP_
safe_mode_protected_env_vars	LD_LIBRARY_PATH	LD_LIBRARY_PATH
url_rewriter.tags	a=href,area=href,frame=src,input=src,form=fakeentry	a=href,area=href,frame=src,input=src,form=fakeentry
user_agent	<i>no value</i>	<i>no value</i>

## sysvmsg

sysvmsg support	enabled
Revision	\$Revision: 293036 \$

## tokenizer

Tokenizer Support	enabled
-------------------	---------

## wddx

<b>WDDX Support</b>	<b>enabled</b>
WDDX Session Serializer	enabled

## xml

XML Support	active
XML Namespace Support	active
libxml2 Version	2.7.6

## xmlreader

XMLReader	enabled
-----------	---------

## xmlwriter

XMLWriter enabled

## xsl

XSL enabled  
libxslt Version 1.1.26  
libxslt compiled against libxml Version 2.7.6  
EXSLT enabled  
libexslt Version 1.1.26

## zip

Zip enabled  
Extension Version \$Id: php\_zip.c 300470 2010-06-15 18:48:33Z pajoye \$  
Zip version 1.9.1  
Libzip version 0.9.0

## zlib

ZLib Support enabled  
Stream Wrapper support compress.zlib://  
Stream Filter support zlib.inflate, zlib.deflate  
Compiled Version 1.2.3  
Linked Version 1.2.3

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	<i>no value</i>	<i>no value</i>

## Additional Modules

### Module Name

readline

sysvsem

sysvshm

## Environment

Variable	Value
DOCUMENT_ROOT	/var/www/ntb_new/
GATEWAY_INTERFACE	CGI/1.1
HTTP_ACCEPT	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
HTTP_ACCEPT_ENCODING	gzip, deflate
HTTP_ACCEPT_LANGUAGE	ru-RU,ru;q=0.8,en-US;q=0.5,en;q=0.3
HTTP_AUTHORIZATION	<i>no value</i>
HTTP_CONNECTION	keep-alive
HTTP_COOKIE	Drupal.toolbar.collapsed=0; Drupal.tableDrag.showWeight=0; resolveIDs=0; SESS8bc7834ebfd796105db14fd173ba85f1=C7REGffReJ6gMuNQidl_yy9Jz2KZvwBL6nRO7PMt2pez51IJ6EhySWQGgtHcVMAhO8g1cQ; has_js=1
HTTP_HOST	web1:1251
HTTP_REFERER	http://web1:1251/admin/reports/status
HTTP_USER_AGENT	Mozilla/5.0 (Windows NT 6.1; WOW64; rv:30.0) Gecko/20100101 Firefox/30.0
PATH	/bin
QUERY_STRING	<i>no value</i>
REDIRECT_HTTP_AUTHORIZATION	<i>no value</i>
REDIRECT_STATUS	200
REDIRECT_URL	/admin/reports/status/php
REMOTE_ADDR	10.10.0.18
REMOTE_PORT	58818
REQUEST_METHOD	GET
REQUEST_URI	/admin/reports/status/php

```

SCRIPT_FILENAME /var/www/ntb_new/index.php
SCRIPT_NAME     /index.php
SERVER_ADDR     10.4.0.107
SERVER_ADMIN    root@localhost
SERVER_NAME     web1
SERVER_PORT     1251
SERVER_PROTOCOL HTTP/1.1
SERVER_SIGNATURE
<address>Apache/2.2.15 (CentOS) Server at web1 Port 1251</address>
SERVER_SOFTWARE Apache/2.2.15 (CentOS)

```

## PHP Variables

Variable	Value
\$_GET["q"]	admin/reports/status/php
\$_COOKIE["Drupal_toolbar_collapsed"]	0
\$_COOKIE["Drupal_tabledrag_showWeight"]	0
\$_COOKIE["resolveIDs"]	0
\$_COOKIE["SESS8bc7834ebfd796105db14fd173ba85f1"]	C7REGffReJ6gMuNQidl_yy9Jz2KZvwBL6nRO7PMt2pez51IJ6EhySWQGgtHcVMAhO8g1cQ
\$_COOKIE["has_js"]	1
\$_SERVER["DOCUMENT_ROOT"]	/var/www/ntb_new/
\$_SERVER["GATEWAY_INTERFACE"]	CGI/1.1
\$_SERVER["HTTP_ACCEPT"]	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
\$_SERVER["HTTP_ACCEPT_ENCODING"]	gzip, deflate
\$_SERVER["HTTP_ACCEPT_LANGUAGE"]	ru-RU,ru;q=0.8,en-US;q=0.5,en;q=0.3
\$_SERVER["HTTP_AUTHORIZATION"]	<i>no value</i>
\$_SERVER["HTTP_CONNECTION"]	keep-alive

_SERVER["HTTP_COOKIE"]	Drupal.toolbar.collapsed=0; Drupal.tableDrag.showWeight=0; resolveIDs=0; SESS8bc7834ebfd796105db14fd173ba85f1=C7REGffReJ6gMuNQidl_yy9Jz2KZvwBL6nRO7PMt2pez51IJ6EhySWQGgtHcVMAhO8g1cQ; has_js=1
_SERVER["HTTP_HOST"]	web1:1251
_SERVER["HTTP_REFERER"]	http://web1:1251/admin/reports/status
_SERVER["HTTP_USER_AGENT"]	Mozilla/5.0 (Windows NT 6.1; WOW64; rv:30.0) Gecko/20100101 Firefox/30.0
_SERVER["PATH"]	/bin
_SERVER["QUERY_STRING"]	<i>no value</i>
_SERVER["REDIRECT_HTTP_AUTHORIZATION"]	<i>no value</i>
_SERVER["REDIRECT_STATUS"]	200
_SERVER["REDIRECT_URL"]	/admin/reports/status/php
_SERVER["REMOTE_ADDR"]	10.10.0.18
_SERVER["REMOTE_PORT"]	58818
_SERVER["REQUEST_METHOD"]	GET
_SERVER["REQUEST_URI"]	/admin/reports/status/php
_SERVER["SCRIPT_FILENAME"]	/var/www/ntb_new/index.php
_SERVER["SCRIPT_NAME"]	/index.php
_SERVER["SERVER_ADDR"]	10.4.0.107
_SERVER["SERVER_ADMIN"]	root@localhost
_SERVER["SERVER_NAME"]	web1
_SERVER["SERVER_PORT"]	1251
_SERVER["SERVER_PROTOCOL"]	HTTP/1.1



```
_SERVER["SERVER_SIGNATURE"] <address>Apache/2.2.15 (CentOS) Server at web1 Port  
1251</address>  
_SERVER["SERVER_SOFTWARE"] Apache/2.2.15 (CentOS)  
_SERVER["PHP_SELF"] /index.php  
_SERVER["REQUEST_TIME"] 1403937074
```

## PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact [license@php.net](mailto:license@php.net).